
Anchorplex™ Construction with Sterling™ Retaining Wall System Estimating Chart for Structural Backfill

No Slopes and No Surcharges

FOR ESTIMATING PURPOSES ONLY - NOT FOR CONSTRUCTION



	CLAY & SILT SOIL	SILTY / CLAYEY SAND SOIL	CLEAN SAND & GRAVEL SOIL
Н	$ \phi = 26^{\circ} $ $ \gamma = 120 \text{ pcf } (19 \text{ kN/m}^3) $	$\varphi = 30^{\circ}$ $\gamma = 120 \text{ pcf } (19 \text{ kN/m}^3)$	$\varphi = 34^{\circ}$ $\gamma = 120 \text{ pcf } (19 \text{ kN/m}^3)$
4'-0" (1200 mm) 6 Courses	0.22 x Wall Length = CY of Structural Backfill 1'-0" [300 mm]	0.22 x Wall Length = CY of Structural Backfill 1'-0" [300 mm]	
6'-0" (1800 mm) 9 Courses	0.44 x Wall Length = CY of Structural Backfill 1'-6" [450 mm]	0.33 x Wall Length = CY of Structural Backfill 1'-0" [300 mm]	0.33 x Wall Length = CY of Structural Backfill 1'-0" [300 mm]
8'-0" (2400 mm) 12 Courses	2'-6" [750 mm] 0.89 x Wall Length = CY of Structural Backfill	2'-0" [600 mm] 0.74 x Wall Length = CY of Structural Backfill	2'-0" [600 mm] 0.74 x Wall Length = CY of Structural Backfill
10'-0" (3000 mm) 15 Courses	3'-0" [900 mm] 1.30 x Wall Length = CY of Structural Backfill	2'-6" [750 mm] 1.11 x Wall Length = CY of Structural Backfill	2'-6" [750 mm] 1.11 x Wall Length = CY of Structural Backfill
12'-0" (3600 mm) 18 Courses	4'-0" [1200 mm] 2.00 x Wall Length = CY of Structural Backfill	3'-0" [900 mm] 1.56 x Wall Length = CY of Structural Backfill	3'-0" [900 mm] 1.56 x Wall Length = CY of Structural Backfill


© 2022 ANCHOR Diamond® retaining wall systems are manufactured under license from ANCHOR Diamond®. The wall system blocks are covered by the Anchor Diamond® Limited Warranty. For a complete copy, visit your local dealer or see anchordiamond.com. All rights reserved.

Anchor Diamond® 5909 Baker Rd. Suite 550 • Minnetonka, MN 55345 AWS22-253 10/22



Anchorplex™ Construction with Sterling™ Retaining Wall System Estimating Chart for Structural Backfill 250 PSF Surcharge

FOR ESTIMATING PURPOSES ONLY - NOT FOR CONSTRUCTION




	CLAY & SILT SOIL	SILTY / CLAYEY SAND SOIL	CLEAN SAND & GRAVEL SOIL
Н	$\varphi = 26^{\circ}$ $\gamma = 120 \text{ pcf } (19 \text{ kN/m}^3)$	$\varphi = 30^{\circ}$ $\gamma = 120 \text{ pcf } (19 \text{ kN/m}^3)$	$\varphi = 34^{\circ}$ $\gamma = 120 \text{ pcf } (19 \text{ kN/m}^3)$
4'-0" (1200 mm) 6 Courses	0.44 x Wall Length = CY of Structural Backfill 2'-6" [750 mm]	0.30 x Wall Length = CY of Structural Backfill 1'-6" [450 mm]	0.22 x Wall Length = CY of Structural Backfill 1'-0" [300 mm]
6'-0" (1800 mm) 9 Courses	0.89 x Wall Length = CY of Structural Backfill 3'-6" [1050 mm]	0.56 x Wall Length = CY of Structural Backfill 2'-0" [600 mm]	0.33 x Wall Length = CY of Structural Backfill 1'-0" [300 mm]
8'-0" (2400 mm) 12 Courses	4'-0" [1200 mm] 1.33 x Wall Length = CY of Structural Backfill	2'-6" [750 mm] 0.89 x Wall Length = CY of Structural Backfill	2'-0" [600 mm] 0.74 x Wall Length = CY of Structural Backfill
10'-0" (3000 mm) 15 Courses	Wall design to be performed by a professional engineer	3'-0" [900 mm] 1.30 x Wall Length = CY of Structural Backfill	2'-6" [750 mm] 1.11 x Wall Length = CY of Structural Backfill
12'-0" (3600 mm) 18 Courses	Wall design to be performed by a professional engineer	3'-6" [1050 mm] 1.78 x Wall Length = CY of Structural Backfill	3'-0" [900 mm] 1.56 x Wall Length = CY of Structural Backfill

© 2022 ANCHOR Diamond® retaining wall systems are manufactured under license from ANCHOR Diamond®. The wall system blocks are covered by the Anchor Diamond® Limited Warranty. For a complete copy, visit your local dealer or see anchordiamond.com. All rights reserved.

Anchor Diamond® 5909 Baker Rd. Suite 550 • Minnetonka, MN 55345 AWS22-253 10/22

Anchorplex[™] Construction with Sterling[™] Retaining Wall System Estimating Chart for Structural Backfill 3:1 Crest Slope

FOR ESTIMATING PURPOSES ONLY - NOT FOR CONSTRUCTION



	CLAY & SILT SOILS	SILTY / CLAYEY SAND SOIL	CLEAN SAND & GRAVEL SOIL
Н	$ \phi = 26^{\circ} $ $ \gamma = 120 \text{ pcf } (19 \text{ kN/m}^3) $	$\varphi = 30^{\circ}$ $\gamma = 120 \text{ pcf } (19 \text{ kN/m}^3)$	$\varphi = 34^{\circ}$ $\gamma = 120 \text{ pcf } (19 \text{ kN/m}^3)$
4'-0" (1200 mm) 6 Courses	2'-0" [600 mm] 0.37 x Wall Length = CY of Structural Backfill	1'-0" [300 mm] 0.22 x Wall Length = CY of Structural Backfill	1'-0" [300 mm] 0.22 x Wall Length = CY of Structural Backfill
6'-0" (1800 mm) 9 Courses	3'-6" [1050 mm] 0.89 x Wall Length = CY of Structural Backfill	1'-6" [450 mm] 0.44 x Wall Length = CY of Structural Backfill	1'-0" [300 mm] 0.33 x Wall Length = CY of Structural Backfill
8'-0" (2400 mm) 12 Courses	5'-0" [1500 mm] 1.63 x Wall Length = CY of Structural Backfill	2'-6" [750 mm] 0.89 x Wall Length = CY of Structural Backfill	2'-0" [600 mm] 0.74 x Wall Length = CY of Structural Backfill
10'-0" (3000 mm) 15 Courses	Wall design to be performed by a professional engineer	3'-0" [900 mm] 1.30 x Wall Length = CY of Structural Backfill	1'-0" [300 mm] 0.33 x Wall Length = CY of Structural Backfill 2'-0" [600 mm] 0.74 x Wall Length = CY of Structural Backfill 2'-6" [750 mm] 1.11 x Wall Length = CY of Structural Backfill
12'-0" (3600 mm) 18 Courses	Wall design to be performed by a professional engineer	4'-0" [1200 mm] 2.00 x Wall Length = CY of Structural Backfill	3'-0" [900 mm] 1.56 x Wall Length = CY of Structural Backfill